

THE ANDERSONS SAFETY DATA SHEET

DATE PREPARED: 12/14/05 CURRENT AS OF: 7/6/15

SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION

PRODUCT CODE: APT164ES4.1

PRODUCT NAME: The Andersons Professional Turf Products Fertilizer 16-0-8 with Escalade Herbicide

PRODUCT USE: Fertilizer / Pesticide

MFR INFO: The Andersons Lawn Products

PO Box 119

Maumee, Ohio USA 43537

FOR EMERGENCY: (800) 757-8951 FOR INFORMATION: (419) 891-2957

SECTION 2: HAZARDS IDENTIFICATION

HAZARD SYMBOLS / STATEMENTS:



WARNING

HARMFUL IF SWALLOWED
MAY CAUSE MILD SKIN IRRITATION
MAY CAUSE EYE IRRITATION
MAY CAUSE RESPIRATORY IRRITATION

HAZARD CLASSIFICATIONS:	CATEGORY	<u>INTERPRETATION</u>
ACUTE TOXICITY	4	Low to Moderate
SKIN IRRITATION	3	Mild Skin Irritation Possible
EYE IRRITATION	2B	Promptly Reversible Eye Irritation Possible
TARGET ORGAN SYSTEMIC TOXICITY	3	Transient Respiratory Irritation Possible

PRECAUTIONARY STATEMENTS:

- KEEP OUT OF REACH OF CHILDREN
- READ LABEL BEFORE USE
- IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL ON HAND
- CALL A POISON CENTER / PHYSICIAN IF UNWELL
- IF ON SKIN, WASH WITH PLENTY OF SOAP AND WATER
- IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE
- IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES REMOVE CONTACT LENSES
- IF EYE IRRITATION PERSISTS, GET MEDICAL ADVICE
- WASH HANDS AFTER HANDLING
- USE ONLY OUTDOORS OR IN WELL VENTILATED AREAS
- AVOID BREATHING DUST
- IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING
- STORE CONTAINER TIGHTLY CLOSED
- DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATIONS

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL IDENTITY	<u>SYNONYM</u>	CAS NUMBER	CONCENTRATION (%)
Limestone		1317-65-3	43.9
Urea		57-13-6	26.1
Potassium chloride	Potash	7447-40-7	13.0
Sulfur coated urea		Mixture	10.9
Corncob fractions		Mixture	5.0
Escalade		Mixture	1.2

SECTION 4: FIRST AID MEASURES

IF INHALED: Move victim to fresh air. Seek medical attention if irritation persists.

IF ON SKIN: Wash affected areas with soap and water. Seek medical attention if irritation

persists. Wash contaminated clothing before re-use.

IF IN THE EYES: Immediately flush with water for at least 20 minutes. Seek medical attention if

irritation persists.

IF SWALLOWED: If victim is alert and not convulsing, give one glass of water to dilute material,

but DO NOT induce vomiting. Seek immediate medical attention.

SPECIAL TREATMENT: None known

HEALTH HAZARDS: See Section 11

SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA: Use media suitable for surrounding fire. No special media

required.

SPECIFIC FIRE HAZARDS: Decomposition products may be toxic. Sulfur will burn when

separated from molten urea.

SPECIAL FIREFIGHTING PROCEDURES: Wear full protective clothing and positive-pressure self-

contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL / RELEASE PROCEDURES: Collect spilled product and store to re-use. Contaminated product

and/or environmental media should be recovered and disposed of

properly.

ENVIRONMENTAL PRECAUTIONS: Prevent spilled material from entering storm drains or water bodies.

PROTECTIVE EQUIPMENT: See Section 8

SECTION 7: HANDLING AND STORAGE

Store in a cool, dry, well ventilated area. Do not store above 120° F.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS:

HAZARDOUS COMPONENT	OSHA PEL	ACGIH TLV
Limestone	15 mg/m³ (total) 5 mg/m³ (respirable)	10 mg/m³ (inhalable) 3 mg/m³ (respirable)
Urea	15 mg/m³ (total) 5 mg/m³ (respirable)	10 mg/m³ (inhalable) 3 mg/m³ (respirable)
Potassium chloride	15 mg/m³ (total) 5 mg/m³ (respirable)	10 mg/m³ (inhalable) 3 mg/m³ (respirable)
Corncob fractions	15 mg/m³ (total) 5 mg/m³ (respirable)	10 mg/m³ (inhalable) 3 mg/m³ (respirable)
Escalade	10 mg/m ³ (2,4-D)	10 mg/m ³ (2,4-D)

PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION: NIOSH approved pesticide respirator, if required

EYE PROTECTION: Safety glasses with sideshields, goggles, or faceshield recommended

SKIN PROTECTION: Long sleeves, chemical-resistant (rubber) recommended

VENTILATION: Local exhaust ventilation recommended

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Multi-colored granular mix, with slight odor

pH: Not available **MELTING POINT:** Not available Not applicable **BOILING POINT:** FLASH POINT: Not flammable **EVAPORATION RATE:** Not applicable Not applicable FLAMMABLE LIMITS: **VAPOR PRESSURE:** Not applicable Not applicable VAPOR DENSITY: Not available SPECIFIC GRAVITY: SOLUBILITY (IN WATER): Partially soluble PARTITION COEFFICIENT: Not applicable Not available **AUTOIGNITION TEMP: DECOMPOSITION TEMP:** Not available

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Product is stable.

CONDITIONS TO AVOID: Excessive heat (greater than 200°F)

INCOMPATIBILITY: Strong oxidizers, caustics, bases, acids, hypochlorites

HAZARDOUS DECOMPOSITION PRODUCTS: HCN, NOx, COx, NH3, cyanuric acid, HCl, SOx

SECTION 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS: May be irritating to the nose, throat, and respiratory tract, and may cause sore throat,

coughing, and shortness of breath. Skin irritation may result; repeated or prolonged skin exposures may result in dermatitis. May also be corrosive or irritating to the eyes, causing redness and watering. Prolonged eye exposure may cause conjunctivitis and corneal damage. Ingestion may result in sore throat, abdominal pain, decreased blood pressure, muscle weakness, muscle spasms, nausea, vomiting, and diarrhea. Ingestion of large amounts of sulfur may lead to hydrogen sulfide poisoning due to

bacterial conversion of sulfur in the colon.

CARCINOGENICITY: None of the ingredients are known / listed carcinogens. However, product may contain

trace amounts of inorganic fluorides and crystalline silica. Fluorides have been suggested as a reproductive hazard and a carcinogen. Crystalline silica is listed by IARC as a potential human carcinogen. IARC lists 2,4-D as a class 2B carcinogen (limited evidence for carcinogenicity in humans), while USEPA has determined that

2,4-D and dicamba are not classifiable as to human carcinogenicity.

INGREDIENT TOXICITY RANGES:

ORAL: 896 mg/kg (2,4-D) – 14,300 mg/kg (urea)

DERMAL: > 2,000 mg/kg (dicamba) -- > 4,000 mg/kg (2,4-D)

INHALATION: > 5.4 mg/L (2,4-D) -- > 9.6 mg/L (dicamba)

SECTION 12: ECOLOGICAL INFORMATION

This product is not known to be ecotoxic, persistent, or have the potential to bioaccumulate.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with all national, regional / state, and local regulations. Reuse recovered product where possible.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a transportation hazard.

SECTION 15: REGULATORY INFORMATION

SARA SECTION 311 / 312 HAZARD CATEGORY: IMMEDIATE HAZARD

SECTION 16: OTHER INFORMATION

NFPA RATINGS: HEALTH 1

FLAMMABILITY 0 INSTABILITY 0

HMIS RATINGS: HEALTH 1

FLAMMABILITY 0 PHYSICAL HAZARD 0

ACTIVE INGREDIENT LEVEL (%): 0.865 as 2,4-D ester

0.206 as fluroxypyr 0.072 as dicamba acid

MSDS ID NO: 5131

PREPARED BY: SS

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.