

SAFETY DATA SHEET

Quad Select Premium Ice Melt

Printed: 08/21/2015 Revision: 07/21/2015

1. Product and Company Identification				
Product Code:	355666			
Product Name:	Quad Select Premium Ice Melt			
Company Name:	Select Source LLC			
	4609 East Booneville			
	New Harmony Road			
	Evansville, IN 47725			
Emergency Contact:	CHEMTREC	1 (800)424-9300		
Synonyms:	Ice Melt.			

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A

GHS Signal Word:	Warning
GHS Hazard Phrases:	Causes serious eye irritation.
GHS Precaution Phrases:	Wash hands thoroughly after handling.
	Avoid breathing dust.
	Wear appropriate personal protective equipment.
GHS Response Phrases:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
	If eye irritation persists, get medical advice/attention.
GHS Storage and Disposal Phrases:	Store in a closed container. Store in a dry place.
Potential Health Effects (Acute and Chronic):	
Inhalation:	May cause respiratory tract irritation. May be harmful if inhaled.
Skin Contact:	May cause skin irritation. May be harmful if absorbed through the skin.
Eye Contact:	Exposure to solid may cause pain and redness.
Ingestion:	May cause irritation of the digestive tract. May be harmful if swallowed. Ingestion of large amounts may cause nausea and vomiting, rigidity or convulsions. Continued exposure can produce coma, dehydration, and internal organ congestion.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
7647-14-5	5 Sodium chloride	5.00 - 95.0 %
7791-18-6	Magnesium chloride (hydrated)	0.100 - 10.0 %
10043-52-	4 Calcium chloride	0.100 - 10.0 %
7447-40-7	Potassium chloride	0.100 - 10.0 %



SAFETY DATA SHEET

Quad Select Premium Ice Melt

Printed: 08/21/2015 Revision: 07/21/2015

4. First Aid Measures

Emergency and First Aid Procedures:	
In Case of Inhalation:	Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.
In Case of Skin Contact:	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation develops, get medical aid.
In Case of Ingestion:	Do NOT induce vomiting. Get medical aid if irritation or symptoms occur.
	Never give anything by mouth to an unconscious person. Rinse mouth with water.
Signs and Symptoms Of Exposure:	To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Note to Physician:

Treat symptomatically and supportively.

5. Fire Fighting Measures				
Flash Pt:	No data.			
Explosive Limits:	LEL: No data. UEL: No data.			
Autoignition Pt:	No data.			
Suitable Extinguishing Media	Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.			
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible.			
Flammable Properties and Hazards:	Not flammable or combustible.			
Hazardous Combustion Products:	No data available.			
	6. Accidental Release Measures			
Protective Precautions, Protective Equipment and Emergency Procedures:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.			
Environmental Precautions:	If possible, dispose of unused product by completely using it for its intended purpose according to label instructions.			
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Do not let this product enter the environment except as directed on product label. Sweep up and shovel. Keep in suitable, closed containers for disposal.			



SAFETY DATA SHEET

Quad Select Premium Ice Melt

Printed: 08/21/2015 Revision: 07/21/2015

7. Handling and Storage

Precautions To Be Taken in Use with adequate ventilation. Minimize dust generation and accumulation. Avoid Handling: contact with eyes, skin, and clothing. Avoid ingestion and inhalation.

Precautions To Be Taken in Storing:

Vapor Density (vs_Air = 1):

SUURE

Decomposition Temperature: No data.

Solubility in Water:

Coefficient: Autoignition Pt:

Viscosity:

Octanol/Water Partition

r = 1):

No data.

~ 2.153

~ 68 LB/CF

~ 359 - g/l

No data.

No data.

No data.

Store in a closed container and in a dry place.

Exposure Controls/Personal Protection 8. CAS# **Partial Chemical Name OSHA TWA ACGIH TWA Other Limits** 7647-14-5 Sodium chloride No data. No data. No data. 7791-18-6 Magnesium chloride (hydrated) No data. No data. No data. 10043-52-4 Calcium chloride No data. No data. No data. No data. No data. 7447-40-7 Potassium chloride No data. **Respiratory Equipment** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved (Specify Type): respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Respirator protection is not normally required. Wear appropriate protective eveglasses or chemical safety goggles as described by Eye Protection: OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure. Wear appropriate protective clothing to prevent skin exposure. **Other Protective Clothing: Engineering Controls** Facilities storing or utilizing this material should be equipped with an eyewash facility and (Ventilation etc.): a safety shower. Use adequate ventilation to keep airborne concentrations low. Good general ventilation should be sufficient to control airborne levels. 9. Physical and Chemical Properties [X] Solid [] Liquid **Physical States:** [] Gas **Appearance and Odor:** Translucent blue. No apparent odor. No data. pH: **Melting Point:** ~ 801 C **Boiling Point:** ~ 1410 C Flash Pt: No data. **Evaporation Rate:** No data. No data available. Flammability (solid, gas): LEL: No data. UEL: No data. **Explosive Limits:** Vapor Pressure (vs. Air or No data. mm Hg):





SAFETY DATA SHEET

Quad Select Premium Ice Melt

Printed: 08/21/2015 Revision: 07/21/2015

 Unstable [] Stable [X] Incompatible materials, dust generation, exposure to moist air or water. Metals. Strong oxidizing agents, strong acids, nitrogen compounds. Hydrogen chloride, sodium oxide, chlorine.
Metals. Strong oxidizing agents, strong acids, nitrogen compounds.
Hydrogen chloride, sodium oxide, chlorine.
Will occur [] Will not occur [X]
No data available.
11. Toxicological Information
Epidemiology: The only adverse effect noted from occupational exposures have been mild nasal irritation with exposure to high dust levels and hypertension. Teratogenicity: No information available. Reproductive Effects: No information found. Mutagenicity: No information found. Neurotoxicity: No information found. Neurotoxicity: No information found. CAS# 7647-14-5: Sodium chloride: Acute toxicity, TDLo, Oral, Human, 12357. MG/KG, 23 D; American Journal of Digestive Diseases., For publisher information, see DDSCDJ, New York, NY, Vol/p/yr: 21,180, 1954 Acute toxicity, LD50, Oral, Rat, 3.000 GM/KG; Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 20,57, 1971
Acute toxicity, LC50, Inhalation, Rat, > 42.00 GM/M3, 1 H; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971
Standard Draize Test, Skin, Species: Rabbit, 50.00 MG, 24 H; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971
Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971
CAS# 10043-52-4: Calcium chloride: Acute toxicity, LD50, Oral, Mouse, 1940. MG/KG; Oyo Yakuri. Pharmacometrics., Oyo Yakuri Kenkyukai, CPO Box 180, Sendai 980-91 Japan, Vol/p/yr: 14,963, 1977



Acute toxicity, LD50, Oral, Rat, 2600. MG/KG; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

Standard Draize Test, Eyes, Species: Rabbit, 500.0 MG, 24 H; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

Irritation or Corrosion:

Carcinogenicity/Other

Carcinogenicity

Information:					
CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7647-14-5	Sodium chloride	n.a.	n.a.	n.a.	n.a.
7791-18-6	Magnesium chloride (hydrated)	n.a.	n.a.	n.a.	n.a.
10043-52-4	Calcium chloride	n.a.	n.a.	n.a.	n.a.
7447-40-7	Potassium chloride	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

General Ecological Information:

Other: Do not empty into drains.

Serious eye damage/eye irritation.

CAS# 7647-14-5: Sodium chloride:

LC50, Rainbow Trout (Oncorhynchus mykiss), egg(s), 7461000. UG/L, 96 H, Mortality, Water temperature: 9.8 C C, pH: 7.65, Hardness: 46.00 mg/L; Criteria Document Data. Memorandum to D.J. Call, Center for Lake Superior Environmental Studies, University of Wisconsin-Superior. September 16, 1986, Spehar, R.L., 1986

CAS# 7447-40-7: Potassium chloride: LC50, Rainbow Trout (Oncorhynchus mykiss), 1610000. UG/L, 48 H, Mortality, Water temperature: 17.0 C C, pH: 7.70, Hardness: 40.00 MG/L; Toxicity of Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993
No information found.

Bioaccumulative Potential: Mobility in Soil:

No data available.

13. Disposal Considerations

Waste Disposal Method: Ch

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA P-Series: None listed. RCRA U-Series: None listed.



SAFETY DATA SHEET **Quad Select Premium Ice Melt**

Printed: 08/21/2015 Revision: 07/21/2015

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

15. Regulatory Information

		gaiatory				
EPA SARA (Si	uperfund Amendments and Reautho	rization Act o	f 1986) Lists			
CAS #	Hazardous Components (Chemica	l Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
7647-14-5	Sodium chloride		No	No	No	
7791-18-6	Magnesium chloride (hydrated)		No	No	No	
10043-52-4	Calcium chloride		No	No	No	
7447-40-7	Potassium chloride		No	No	No	
This material meets the EPA[X] Yes [] NoAcute (immediate) Health Hazard'Hazard Categories' defined[] Yes [X] NoChronic (delayed) Health Hazardfor SARA Title III Sections[] Yes [X] NoFire Hazard311/312 as indicated:[] Yes [X] NoSudden Release of Pressure Hazard[] Yes [X] No[] Yes [X] NoReactive Hazard						
CAS #	Hazardous Components (Chemica	l Name)	me) Other US EPA or State Lists			
7647-14-5	Sodium chloride		Inventory; CA PR	o; CWA NPDES: No; DP.65: No; MA Oil/Ha S: No; NY Part 597:		
7791-18-6 10043-52-4	Magnesium chloride (hydrated) Calcium chloride		CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No; WI Air: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,			
				S: No; NY Part 597:	No; PA HSL: No; WI	
7447-40-7	Potassium chloride		Air: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No; WI Air: No			





SAFETY DATA SHEET

Quad Select Premium Ice Melt

Printed: 08/21/2015 Revision: 07/21/2015

16. Other Information

Revision Date:

07/21/2015

Hazard Rating System:



Additional Information About No data available.

This Product:

Company Policy or Disclaimer:



Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Select Source LLC disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.